

ZYGAL Bullet Plus

Step into superior surveillance
with Bullet Plus



ZYGAL Bullet Plus

Basic Features

- **5 MP/8 MP (4K) Varifocal Lens:** High-resolution monitoring for precise analysis
- **IP Camera with POE:** Enables easy and efficient connectivity
- **Metal Body:** Durable construction for longevity
- **IP66 Weatherproof:** Complete weather resistance
- **ONVIF Compatibility:** Effortless integration into existing systems
- **TF Card Storage Up To 256 GB:** Extended data retention

Special Features

- **Health Check:** Ensures constant connectivity for uninterrupted surveillance
- **Cloud Backup:** Automated data protection to prevent loss
- **Adaptive IR:** Enhanced imaging in varying light conditions

AI Features

- **AVCA Compression:** Efficient storage without compromising quality
- **AI-Based Intrusion Detection:** Augmented security with proactive threat identification
- **Human, Vehicle, and License Plate Recognition:** Precise identification for comprehensive surveillance
- **AI-Based Playback:** Detailed analysis for better insights



Bullet Plus Specifications

Image sensor	8MP
Image sensor size format	1/2.8 Inch
Type of Enclosure	Metal - IP66
Lens	Focal length: 5.4mm-97.2mm Aperture: f1.8-f3.9 Varifocal lens
IR night vision	Adaptive IR IR-cut filter IR range: 20m
Maximum resolution & Frame rate	Main stream: 8MP 3840*2160@20fps , 5MP 2592*1904@25fps Sub-stream: D1(720*576)@25fps, VGA(640*480)@25fps,Q720P(640*360)@25fps
Dynamic range	120db WDR (true)
Video compression	H.264+AVCA, H.265+AVCA
Speaker Support	NA
SD/TF Card	256GB
Audio	NA
Security	TLS 1.2/AES128
Network protocols	IPv4, HTTPS, TLS, DNS, mDNS, DNS-SD, NTP, Onvif Profile S, G, T RTSP, RTP, RTCP, ICMP, DHCP, ARP Streaming: RTP/UDP, RTP/RTSP/HTTPS/TCP
Power source	PoE, 12v DC
Power consumption	12v 1A
Connection	PoE Ethernet, 12V DC connector
Installation aid	Mount template Screws and wall plugs included